

...to be continued...



**...to be continued...**



**...to be continued...**




**...to be continued...**

---



To be continued...



Hasta la próxima sesión para el post  
viaje..

# Paginas web a consultar

---

1. <http://wwwnc.cdc.gov/travel/yellowbook/2012/chapter-3-infectious-diseases-related-to-travel/yellow-fever-and-malaria-information-by-country.htm>
2. WHO: World Health Organization (WHO) provides useful online information including maps and malaria data
3. <http://wwwn.cdc.gov/travel/default.aspx>
4. CDC. Health information for international travel 2011-2012. DHHS, Atlanta, GA 2011.
5. CDC. Yellow Fever Vaccine Requirements and Information on Malaria Risk and Prophylaxis, by Country. [wwwn.cdc.gov/travel/yellowBookCh5-MalariaYellowFeverTable.aspx](http://wwwn.cdc.gov/travel/yellowBookCh5-MalariaYellowFeverTable.aspx)
6. [http://www.cdc.gov/malaria/risk\\_map](http://www.cdc.gov/malaria/risk_map) (CDC Malaria map application).
7. <http://www.who.int/ith/countries/en/index.html>

# Bibliografia

---

1. Steketee RW, Wirima JJ, Slutsker L, et al. Malaria parasite infection during pregnancy and at delivery in mother, placenta, and newborn: efficacy of chloroquine and mefloquine in rural Malawi. *Am J Trop Med Hyg* 1996; 55:24.
2. CDC: Malaria. Update: New Recommendations for Mefloquine Use in Pregnancy  
[www.cdc.gov/malaria/new\\_info/2011/mefloquine\\_pregnancy.html](http://www.cdc.gov/malaria/new_info/2011/mefloquine_pregnancy.html) (Accessed on January 24, 2012)
3. CDC. Health information for international travel 2011-2012. DHHS, Atlanta, GA 2011.
4. Nosten F, ter Kuile F, Maelankiri L, et al. Mefloquine prophylaxis prevents malaria during pregnancy: a double-blind, placebo-controlled study. *J Infect Dis* 1994; 169:595
5. Vanhauwere B, Maradit H, Kerr L. Post-marketing surveillance of prophylactic mefloquine (Lariam) use in pregnancy. *Am J Trop Med Hyg* 1998; 58:17. Warfarin potentiated by proguanil. *BMJ* 1991; 303:789.

