

Aneurisma Aorta Abdominal

Manifestaciones clínicas

Signos de alerta

Diagnóstico diferencial

Elvira Couto Jaime

R2 MFyC Ud Clinic-Maternitat



Aneurisma Aorta Abdominal

Manifestaciones clínicas

Signos de alerta

Diagnóstico diferencial

The background of the slide features a red wristwatch with a leather strap on the right side. On the left side, there is a piece of fabric with a repeating pattern of dark, wavy lines on a light background. The central text is overlaid on a dark grey rectangular area.

Manifestaciones clínicas

- **ASINTOMÁTICO**

Manifestaciones clínicas

- ASINTOMÁTICO
- Sintomático
 - Masa pulsátil
 - Dolor
 - Edema miembros inferiores
 - Pérdida apetito
 - Síntomas urológicos

van Walraven C, Wong J, Morant K, et al. Incidence, follow-up, and outcomes of incidental abdominal aortic aneurysms. *J Vasc Surg* 2010; 52:282.

Sullivan CA, Rohrer MJ, Cutler BS. Clinical management of the symptomatic but unruptured abdominal aortic aneurysm. *J Vasc Surg* 1990; 11:799.

Nevala T, Perälä J, Aho P, et al. Outcome of symptomatic, unruptured abdominal aortic aneurysms after endovascular repair with the Zenith stent-graft system. *Scand Cardiovasc J* 2008; 42:178.

Signos de alarma

- Aparición de síntomas
- Crecimiento rápido en pruebas de imagen
- Isquemia
- Clínica Insuficiencia Cardíaca
- Fiebre taquicardia
- Hemorragia digestiva
- Pielonefritis
- Dolor abdominal severo súbito irradiado
- Hipotensión
- TRIADA

Nigro G, Giovannacci L, Engelberger S, et al. The challenge of posttraumatic thrombus embolization from abdominal aortic aneurysm causing acute limb ischemia. *J Vasc Surg* 2011; 54:840.

Azhar B, Patel SR, Holt PJ, et al. Misdiagnosis of ruptured abdominal aortic aneurysm: systematic review and meta-analysis. *J Endovasc Ther* 2014; 21:568.